MARTIN

Removable Gooseneck Lowbeds


RGN65DA with HD50

Lower Deck Heights, Increased Payloads

The Martin 4 axle RGN65 is designed to run with or without a double axle dolly (Model HD50). These rigs are ideal for moving large construction machines, transformers as well as a range of mining machines.

The trailer incorporates unique features such as the pre-stressed deck and the Martin heavy duty suspension allowing for lighter tare weight, higher payloads and decreased maintenance. Frames are constructed from T-1 high strength/high tensile steels to increase the life of trailer and further allow for maximum payloads.

Dimensions and frames are meticulously calculated to maximize payload formulas and help achieve best weight distribution.



MODEL	CONFIGURATION	AXLE QUA.	KINGPIN	PAYLOAD	G.V.M.	TARE	A	B	C	D	E	F	F2
RGN65	PRE-STRESS DROP DECK	4+1	89mm	68000kg	83000kg	14500kg	17300mm	7080mm	830mm	14010mm	5630mm	3100mm	3300mm

Axle: 420x180 brake, 127 Round, 12T capacity.

Suspension: Martin Heavy Duty Air Suspension, 13T Capacity, Fabricated High Tensile Beam.

Brakes: SABS approved ABS system including suzi connection, 24V including automatic slack adjusters, twin line fail safe air brakes.

Electric: Multi-volt SABS approved systems, LED Combination Lights- two per side.

Wheels: Standard 22.5x9.00 fitted with 295/80R22.5 tyres. One spare wheel per trailer.

Decking: Hardwood imported timber, long grain structure, sides only. Centre deck open.

Other: Large Toolbox; Wheel Spanner; Bearing Spanner; Operation, Parts & Maintenance Manuals; Abnormal, Speed and Chev-ron Boards; Warning Flags and Reflectors.

Optional Extras: Air Bag Axle Lift, Air Height Control, Diesel Power Pack, Aluminium Rims, Gooseneck Hydraulic Lift., Centre Deck Covering, Front Ramps, Outriggers and Timber, Recessed Cross Members.

Contact Details:

8 Rail Road
Roodekop
Germiston
South Africa

T: +27 (0) 11 866 4200
F: +27 (0) 11 865 3142
0861 LOWBED
Email: sales@martinsa.co.za

www.martinsa.co.za

Please Note: Due to constant improvement in our products, we reserve the right to change specifications and dimensions without prior notice. Payloads are dependant on applicable legislation, truck specifications and optional equipment. This document is protected by copyright law.



Photo may include optional equipment

MARTIN

RGN65



Photo may include optional equipment